

Pathology and Laboratory Medicine Memorandum

To: Physicians and Health Service Directors, Central Zone

From: Dr. David Conrad - Medical Director, Microscopy

Ms. Beverly Twohig - Esoteric Laboratory Supervisor

Date: February 23, 2017

Subject: Guidelines for Ordering a Manual Differential

Proper ordering is a critical aspect of patient care. Ambiguous wording on a requisition can sometimes have multiple meanings, leading to erroneous test ordering and thus impacting patient care.

Ordering information

Please review the following guidelines for ordering a *Manual Differential (commonly referred to as a peripheral blood film):

- Please do not use the word "smear" which has multiple meanings for our laboratories
- The acceptable way to request a peripheral blood manual differential is to write Manual
 Differential (or Man Diff) on the requisition
 - <u>Please note</u>: an automated differential is performed on every CBC/profile and reflexes to a manual differential as warranted
- *A Manual Differential is a microscopic assessment of a peripheral blood slide.
 - The white blood cells (WBCs) are reviewed to verify the accuracy of the automated differential and assess the WBC morphology. If abnormal WBCs are present a manual differential is performed by counting 100 WBCs
 - The red blood cells are reviewed for morphological abnormalities, including color, size, shapes, cytoplasmic inclusions, and distribution
 - The platelets are reviewed to confirm the automated platelet count and assess the morphology, including size, granularity, and distribution