

Pathology and Laboratory Medicine Memorandum

To: Nova Scotia Physicians and Laboratories, PEI, NB, NFLD Laboratories

From: Dr. Manal Elnenaei, Medical Biochemist

Mr. Randy Veinotte, Esoteric Laboratory Manager

Date: May 13, 2016

Subject: Referral of Urine Porphyrin Precursors ALA and PBG and change of collection

requirements for Urine Porphyrin testing

Please be advised that urine testing for Delta-Aminolevulinic (ALA) and Porphobilinogen (PBG) will now be referred to In-Common Laboratory (ICL) in Ontario.

Also, the collection requirements for urine Porphyrin testing have now changed and a 24 hour container prepared with preservative will be used, which is not suitable for ALA and PBG testing. Therefore if both tests are required, this must be indicated on the requisition for appropriate collection procedures.

Note the following:

- Urine porphyrin screening is usually requested in patients suspected to have cutaneous manifestations of porphyria and/or to differentiate between certain subtypes of acute porphyria.
 For this, a 24 hour urine collection is required for testing:
 - A dark container with appropriate preservative, will be provided for collection;
 - Specimen must be protected from light and kept cool during collection.
- ALA and PBG should be requested only if acute porphyria is clinically suspected and the sample is collected during or shortly following an attack to avoid false negative results. For this, a random urine collection is required for testing:
 - 20 mL urine is required with no added preservative;
 - Specimen must be protected from light;
 - Specimen must be labelled inside and outside of the light-protecting wrap;
 - Requests for ALA and PBG from physicians other than Dermatology and General Internal Medicine will require approval by clinical staff in our division.

All labs outside of NSHA Central Zone are kindly requested to refer these tests directly to ICL.

If you have further questions about this issue, please contact Dr. Elnenaei at 902-473-5194 or Ms Faye Lively at 902-473-6387.